



REPLACEMENT CJC FILTER INSERT

HEBEI SINFT FILTER CO.,LTD.

Tel: +8617730561616

Email: filterelement@sinfthfilter.com

Web: www.sinfthfilter.com

Add.: 7th Building, Ruicheng City Plaza, Jinshan Street,
Shijiazhuang, Hebei Province, China

HEBEI SINFT FILTER CO., LTD.

About US

BRIEF INTRODUCTION OF ENTERPRISE

History

SINFT is located in Shijiazhuang City, Hebei Province, covering 26,658 m². We was established in 2007, Now we has become an excellent manufacturer of brand-compatible spare parts in the Industrial filtration and spraying fluid delivery industries with 16 years of experience accumulation and precipitation.

Product Category:

- High Pressure Filter Elements
- Stainless Steel Filter Elements
- Replacement CJC Filter Insert
- Pipeline Basket Strainer (simplex&Duplex)
- Hydraulic Filter Elements

•Replacement filter elements for over 200 brands

INDUFIL, PALL, HYDAC, FILCO, BOLL&KIRCH, MOATTI, FILTREC, INTERNORMAN, PARKER, SF, STAUFF, HIFI, MP, VICKERS, DONALDSON, MP, ARGO, REXROTH, HY-PRO, EATON, TAISEIKOGYO, ARGO, EPE, etc.

VISION & MISSION

SINFT vision: High-quality, future-proof products and solutions with customer service for any need at any time. Everything we do starts with a specific need which represents our true mission. It drives us to continuously improve and build trust with our customers.

PRODUCTION

SINFT produces high quality accessories and spare parts compatible with major brands in the world market with much competitive prices. We use advanced, professional, automated and precise equipment to escort the orders, and our professional quality department from the operator to the precise control system of the machine which all ensure the safety and reliability of the quality.

CERTIFICATION

SINFT certifications: ISO 9001:2015, CE, EPR and others.



SINFT Industrial Products

◆ Innovative Design

Our company has been committed to the design and R&D of filter cartridges, with a professional R&D team and advanced technical equipment. We can provide customized filter cartridge design solutions tailored to customers' needs and application scenarios to meet different filtration requirements. We also continue to pay attention to industry trends and technological development trends, constantly innovate, and develop new products that meet market and customer needs.

◆ Experimental Equipment



◆ Workshop



SINFT replacement CJC filter inserts are a filter for filtering hydraulic oil and lubricating oil. It can process waste oil volume from 2 liters to more than 200,000 liters, the filtered oil will help prolong the service life of the machine and also help reduce production costs for customers. 100% natural cellulose fibres - no metal, no plastic, no chemicals

Advantages

◆ Increase lifetime

• Filter insert quality

SINFT's filter elements are SINFT filter insert, which have a longer service life, can filter pollutants more effectively, and protect equipment from damage. In contrast, other brands of filters may be of lower quality and have a shorter lifespan.

Oil degradation products:

Avoid sticking valves, lacquering, and varnish on metal surfaces.

Water:

Reduce the risk of micro-pitting, bacterial growth, sludge etc.

Acidity/TAN:

Reduce oil ageing and wear on equipment.

• Large filtration area

Depth Filtration vs Pleated Filters



Total Dirt Holding Capacity

~0.085kg

Generic Glass Fiber Filter



Total Dirt Holding Capacity

up to 10kgs

B 27/27 Cellulose-based Filter Insert

◆ Dirt Holding Capacity Creates Value

Pollution holding capacity creates value: DIRT HOLDING CAPACITY CREATES VALUE

Competitive Filter Insert costs divided by dirt holding in kg:

3-micron filtration	Example 1	Example 2
Filter Insert type	Competitive pleated filter	SINFT cellulose depth media
Cost of element vs. Filter Insert	1 x€	4 x€
Dirt holding capacity	0.100 kg	4 kg
Cost per kg removed	10*€/Per kg	1*€/Per kg

◆ Easy Installation

SINFT filter elements are easier to install and replace without professional skills and tools. In contrast, other brands of filters may require more time and expertise to install and replace.

◆ Environmental Protection

100% natural cellulose fibres - no metal, no plastic, no chemicals.

SFT-A Filter Inserts Series

-Applications

Small hydraulic systems

Small engines e.g. generator sets

Small lubricating oil systems

SINFT FILTER

SFT-A 27-27 A2727 PA5600317

SFT-2A 27-27 2XA2727 PAS600318

SFT-A 38-20 A3820.

SFT-A 38-40 A 38440 PA5600102

SFT-A 38-60 A 38/60 PAS600322

SFT-A 38-80 A 3880.

SFT-A 38-100 A38/100

SFT-AA 2*27/27 AA 2*27/27 PA5600315

SFT-AK 15-25 AK 15/25 PA560321

SFT-AK 27-27 AK 27/27 PA560313

SFT-AK 38-40 AK 38/40 PA950301

SFT-AK 38-60 AK 38/60 PA950302



SFT-B Filter Inserts Series

Application

Used for maintenance of below oil types

Hydraulic oils

Turbine mineral oils

Bearing lubricating oils

Gear oils

Synthetic oils



TYPE	FOR UNITS	SIZES	DESCRIPTION	APPLICABLE OIL TYPES
B	HDU	15/25 27/27	Has ridges on each disc	Hydraulic,lube,turbine,gear, quenching
BLA	HDU PTU PFU*	15/25 27/27	"B" made out of acrylic coated cotton/ 'much water	Water, cleaning fluid, oil/water emulsions
BLAT	PTU	27/27	"BLA" top & bottom disc smooth/much water contamination	Hydraulic,turbine,gear
BLDA	HDU	27/27	"BLA" is made with demineralized water	Water glycol

SFT MODEL	SINFT Model	Code	SFT MODEL	SINFT Model	Code
SFT-B 15-12	B15/12	PA5601324	SFT-BLA15/25	BLA15/25	PA5601326
SFT-B 15-25	B15/25	PA5601321	SFT-BLA27/27	BLA27/27	PA560320
SFT-B 15-50	B15/50	PA5601317	SFT-BLAT27/27	BLAT27/27	PA5601325
SFT-B 27-27	B27/27	PA5601301	SFT-BLDA15/25	BLDA15/25	PA5601333
SFT-2B 27/27	B 2*27/27	PA5601304	SFT-BLDA27/27	BLDA27/27	PA5601323
SFT-BK27/27	BK27/27	PA5601348	SFT-BNK15/25	BNK15/25	PA5601338
SFT-BM27/27	BM27/27	PA5601351	SFT-BNK27/27	BNK27/27	PA9501342
SFT-BM2*27/27	BM2*27/27	PA5601347	SFT-BNK2*27/27	BNK2*27/27	PA9501345
SFT-B 15-12	BLA15/12	PA5601327			

SFT-F Filter Inserts Series

Filter insert are manufactured exclusively for filter separators for oil filtration and water removal of mineral fuels (typically diesel, gas oil and quench oil)



SFT MODEL	SINFT Model	Code	SFT MODEL	SINFT Model	Code
SFT-F 15/25	F15/25	PA5600507	SFT-FA27/27	FA27/27	PA9500505
SFT-F27/27	F27/27	PA5600505	SFT-2FA 27/27	2*FA27/27	FAPA9500506
SFT-2F 27/27	2*F 27/27	PA5600506	SFT-FA38/40	FA38/40	PA9500307
SFT-F38/40	F38/40	PA5600307	SFT-FA38/60	FA38/60	PA9500308
SFT-F38/60	F38/60	PA5600308	SFT-FB15/12	FB15/12	PA5601339

Application

Used in the CJC® Filter Separators PTU it will continuously separate water from light distillates.

Diesel

Gas oils

Used in a CJC® Fine Filters HDU




SFT-Gfi Filter Inserts Series

SFT MODEL	SINFT Model	Code	Contamination Capacities		
			Solids, kg (lb)	Water, ltr (gal)	Varnish, kg (lb)
SFTKFi15/36	KFi15/36	PA5609518	1.5 (3.3)	0.75 (0.2)	1 (2.2)
SFT-PSi27/27	GFi27/27	PA5601365	3.5 (7.7)	2 (0.53)	4 (8.8)



SFT-Gfi



SFT-KFi/PSi /VRI

SFT-KFi/PSi /VRI Filter Inserts Series

SFT MODEL	SINFT Model	Code	Contamination Capacities		
			Solids, kg (lb)	Water, ltr (gal)	Varnish, kg (lb)
SFTKFi15/36	KFi15/36	PA5609518	3.3 (6.6)	1.1 (0.3)	1.4 (3.2)
SFT-PSi27/27	PSi27/27	PA5601375	4(8.8)		4 (8.8)
SFT-VRI27/27	VRI27/27	PA5601370	4(8.8)	2(0.35)	4 (8.8)

SFT-LO Filter Inserts Series

SFT MODEL	SINFT Model	Code
SFT-2xLOX27/27	2xLOX27/27	PA5601315
SFT-LO4D27/27	LO4D27/27	PA5602320
SFT-2xLO4D27/27	2xLO4D27/27	PA5602321

PRODUCT APPLICATION

Filter insert are manufactured exclusively for filter separators for oil filtration and water removal of mineral fuels (typically diesel, gas oil and quench oil)

- Aluminum presses
- Automotive
- Food industry
- Hydraulic presses
- Machine tools
- Mobile machinery
- Paper & pulp
- Plastic moulding
- Quench works
- Recycling
- Steel works
- Misc. Industry
- Hydraulic manufactures

